

LANCASHIRE TESTING SERVICES LIMITED

Lyon Road Industrial Estate: Kearsley: Bolton Lancashire: BL4 8NB Tel: +44 (0) 1204 792858 Email: enquiries@ltslab.co.uk

www.ltslab.co.uk



9630

TEST CERTIFICATE

CLIENT: Aristide NV **Certificate Number:** UK2301774-3

Nachtegaalstraat

BE-BE2550 Kontich Date Received: 31/07/2023

Belgium

Date Issued: 04/08/2023

Issue Number:

Changes made from previous issue (if applicable)

Contact: Pieter-Jen Debusschere

Tel: +32 3 458 05 94 Email: info@aristide.be

SAMPLE IDENTIFICATION

The information is this section is provided by the client and Lancashire Testing Services Ltd assumes no reponsibility or liability for its accuracy.

Sample Name / Reference Boris Additional Names:

Batch Ref/Number: D3319010003

Order Number: Colour:

Fabric Composition: 80% Recycled PES, 10% MAC, 6% PES, 4% Recycled CO

Customer:

SPECIFICATION

BS EN 1021-1:2014 Part 1: Ignition source smouldering cigarette

TEST METHOD

Flammability: BS EN 1021-1:2014 Part 1: Ignition source smouldering cigarette

BS EN 1021-2:2014 Part 2: Ignition source match flame equivalent

Pre-treatment:

Conclusion

The sample tested complies with the flammability requirements of BS EN 1021-1:2014 Smouldering Cigarette Source taking into account uncertainty of measurement

The sample tested complies with the flammability requirements of BS EN 1021-2:2014 Butane Ignition Source taking into account uncertainty of measurement

Uncertainty of Measurement: ±1 second - timing measurements, ±1mm - dimensional measurements

Comments:



LANCASHIRE TESTING SERVICES LIMITED

Lyon Road Industrial Estate : Kearsley : Bolton Lancashire: BL4 8NB Tel: +44 (0) 1204 792858 Email: enquiries@ltslab.co.uk www.ltslab.co.uk



9630

TEST CERTIFICATE

Test Results:-							
BS EN 1021-1:2014: Smo	ouldering Cig	garette Source					
Assessment of the ignita							
"The following test results relate	only to the ignite	ability of the combination of m		conditions of tes	t; they are		
not intended as a means of asse		tential fire hazard of the mate	rials in use."				
Sample Code	UK2301774 -1						
Sample Name / Reference	Boris						
Client	Aristide NV						
Date of test	04/08/2023						
Pre-Treatment	BS EN 1021-1:2014 Annex D - Water soaking procedure						
	Line Dried	e Dried					
Filling Type	Carpenter/RX3	Carpenter/RX36110 Combustion Modified Foam Density 34-36kg/m³ /105-115N					
Size of test rig	Small: Back -	450 x 300 ± 2mm + Seat - 450	0 x 150 ± 2mm				
Test Conditions	Period h	Temperature ºC	Relative humidity %	Air Flow m/s	Volume m ³		
Conditioning of test specimens	≥24	23±2	50±5				
Testing conditions	-	10-30	15-80	0.03 ≥6			
Testing Source	Smouldering C	Cigarette Source					
Testing time limit	60 minutes after placement of smouldering cigarette.						
		Test 1	Test 2	Tes	st 3		
Time for cigarette to smoulder to completion (min:sec)		19.12	21.22	N/A			
3.1a Escalating combustion behaviour observed so that it was unsafe to continue the test and active extinction was necessary		NO	NO	N/A			
3.1b Smouldering which largely consumed the test assembly within the test period		NO	NO	N/A			
3.1c Smouldering to the extremities of the specimen, upper or lower margins, either side or to its full thickness, within the duration of the test		NO	NO	N/A			
3.1d Smouldering after one hour from the beginning of the test		NO	NO	N/A			
3.1e On final examination, evidence of active smouldering		NO	NO	N/A			
3.2 Occurrence of flames initiated by a smouldering source		NO	NO	N/A			
				NOT TESTED			

|--|

PASS

PASS

Please note that copies of this original certificate are not valid

Issue Number: 1

Test Result:

NOT TESTED



LANCASHIRE TESTING SERVICES LIMITED

Lyon Road Industrial Estate : Kearsley : Bolton Lancashire : BL4 8NB Tel: +44 (0) 1204 792858 Email: enquiries@ltslab.co.uk www.ltslab.co.uk



9630

TEST CERTIFICATE

					_			
Test Results:-								
BS EN 1021-2:2014:	Butane Source	<u>1</u>						
Assessment of the i	gnitability of up	holstered furniture						
		tability of the combination of m		the particular o	conditions of tes	t; they are		
	t intended as a means of assessing the full potential fire hazard of the materials in use."							
Sample Code		UK2301774 -1						
Sample Name / Reference		Boris						
Client		Aristide NV						
Date of test Pre-Treatment		04/08/2023						
Pre-Treatment		BS EN 1021-1:2014 Annex D - Water soaking procedure						
Filling Type		Line Dried Carpenter/RX36110 Combustion Modified Foam Density 34-36kg/m³ /105-115N						
Filling Type	- '		<u> </u>		D-110IN			
Size of test rig		- 450 x 300 ± 2mm + Seat - 45			T	3		
Test Conditions	-	Temperature °C		umidity %	Air Flow m/s	Volume m ³		
Conditioning of test specin	nens ≥24	23±2		±20	≤0.2	-		
Testing conditions	-	10-30	15	-80	0.03 ≥6			
Testing Source	Butane Flar	me Ignition Source 1						
Testing time limit	2 minutes a	2 minutes after removal of burner tube (120 seconds)						
		Test 1	Te	st 2	Test 3			
Time for flames out (sec)		2	2	2	1			
3.1a/3.2a Escalating combustion behaviour observed so that it was unsafe to continue the test and active extinction was necessary		NO	N	0	NO			
3.1b Smouldering which largely consumed the test assembly within the test period		NO	N	NO NO		0		
3.1c Smouldering to the extremities of the specimen, upper or lower margins, either side or to its full thickness, within the duration of the test		NO	1 ON		N	0		
3.1d Smouldering after one hour from the beginning of the test		NO NO	NO		NO			
3.1e On final examination, evidence of active smouldering		NO	NO		NO			
3.2b Smouldering which largely consumed the test assembly within the test period		NO	NO		NO			
3.2c Flame Front reached the extremities of the specimen, upper or lower margins, either side or to its full thickness, within the duration of the test		NO	NO		NO			
3.2d flaming continued for more than 120 seconds after removal of the burner tube		NO	NO		NO			
Test Result:		PASS	PASS PAS		SS			
RESULT: BUTANE IGNITION SOURCE 1 PASS								

Issue Number: 1



ANCASHIRE TESTING SERVICES LIMITED

Lyon Road Industrial Estate: Kearsley: Bolton Please note that copiened thin erigheld centre are not valid Tel: +44 (0) 1204 792858

Email: enquiries@Itslab.co.uk



9630

TEST CERTIFICATE

Certificate Number: UK2301774-1 Date of Issue: 04/08/2023

	AMHack		
Craig Allardice	Tony Alcock	John Marsh	Peter Collings
Laboratory Technician	Laboratory Technician	Laboratory Supervisor	Operations Manager

Decision Rule:

Lancashire Testing Services have measurement uncertainties for all test standards (available on request) and have applied these measurements to the test result.

The specific level of risk is < 2.5% as stated in ILAC-G8:09/2019. Unless otherwise indicated L.T.S will apply this rule to all measurements reported.

If the measurement result plus/minus the expanded uncertainty with a 95 % coverage probability overlaps the limit, it is not possible to state compliance or non-compliance. The measurement result and the expanded uncertainty with a 95 % coverage probability will then be reported. The report will include the actual value with the uncertainty range.

Lancashire Testing Services Ltd have conducted thorough analysis of the uncertainty of all measurements carried out in the application of the standard or standards detailed in this report. Where possible any associated uncertainty of measurements have been accounted for in the working instructions, so that they have no impact on the reporting of the final result. In instances were uncertainty of measurements can only be taken into account after the test has been conducted, these uncertainty values have been stated on this report. The stated uncertainty of measurement has also been taken into account in the final reporting of the overall result.

Information provided about a customer, from a source other than the customer, shall only be shared with the customer. The provider of the information shall remain confidential to the laboratory unless agreed by the source of the information.

Issue Number: 1

Please note that copies of this original certificate are not valid